



 **TETRA**
SELECTED FOR QUALITY

TETRA L SUPERB
COMMERCIAL LAYER
CHARTS AND GRAPHS

TETRA L SUPERB Commercial Layer Performance Specifications

Liveability	
0-17 weeks of age	97 - 98%
18-100 weeks of age	91 - 93%
Feed consumption	
0-17 weeks of age	5.4-5.8 kg
18-100 weeks of age (average)	105-110 g/day
Body weight	
At 17 weeks of age	1.20-1.30 kg
At 100 weeks of age	1.70-1.85 kg
Maturity	
Age at 50% production	140-150 days
Age at 90% production	160-170 days
Egg production per hen housed	
Peak production	95-97%
Production over 90%	26-28 weeks
Until 72 weeks of age	324-331
Until 80 weeks of age	368-376
Until 100 weeks of age	469-481
Egg mass per hen housed	
Until 72 weeks of age	19.9-20.4 kg
Until 80 weeks of age	22.8-23.4 kg
Until 100 weeks of age	29.5-30.3 kg
Egg weight (weekly average)	
Until 72 weeks of age	64.5-66.5 g
Until 80 weeks of age	64.7-66.7 g
Until 100 weeks of age	65.2-67.2 g
Average egg weight	62.2-63.7 g
Egg shell	
Shell strength	40 N
Shell colour	White

Weight Development and Feed Intake of TETRA L SUPERB Pullets

Age (weeks)	Body Weight (g)	Feed Consumption		Feed Type
	Range	Average (g/day)	Cumulative (kg)	
1	67 - 73	10	0.1	Starter I
2	114 - 123	17	0.2	
3	170 - 185	23	0.3	
4	240 - 260	28	0.5	Starter II
5	323 - 350	34	0.8	
6	412 - 446	38	1.0	
7	501 - 543	42	1.3	
8	588 - 637	46	1.7	
9	672 - 728	50	2.0	Grower
10	752 - 814	53	2.4	
11	828 - 897	56	2.8	
12	901 - 976	59	3.2	
13	967 - 1048	62	3.6	
14	1029 - 1114	65	4.1	
15	1086 - 1177	68	4.6	
16	1144 - 1239	71	5.1	
17	1200 - 1300	74	5.6	
18	1256 - 1360	78	6.1	Pre-layer
19	1314 - 1423	83	6.7	

** Always check average body weight of the flock before switching to the next feed type level. If body weight is lower than stated in the Management Guide, do not move on from one diet to another. Control the body weight frequently, until birds reach their target weight.*



Nutritional Recommendation for TETRA L SUPERB Pullets

Feed Type		Starter I	Starter II	Grower	Pre-layer
NUTRIENT		0-3 weeks	4-8 weeks	9-17 weeks	18-19 weeks
Met. energy	MJ/kg	12.35	12.00	11.50	11.70
Met. energy	kcal/kg	2950	2870	2750	2800
Crude protein	%	20.00	18.00	15.50	17.50
AMINO ACIDS, TOTAL					
Lysine	%	1.20	1.00	0.75	0.80
Methionine	%	0.48	0.42	0.35	0.40
Methionine+cysteine	%	0.84	0.74	0.61	0.70
Threonine	%	0.75	0.65	0.50	0.60
Valine	%	0.93	0.78	0.60	0.65
Arginine	%	1.22	1.02	0.77	0.82
Tryptophan	%	0.24	0.22	0.17	0.18
Isoleucine	%	0.84	0.75	0.60	0.64
AMINO ACIDS, DIGESTIBLE					
Lysine	%	1.00	0.83	0.60	0.70
Methionine	%	0.40	0.35	0.30	0.35
Methionine+cysteine	%	0.70	0.60	0.50	0.58
Threonine	%	0.63	0.55	0.42	0.50
Valine	%	0.76	0.65	0.50	0.54
Arginine	%	1.02	0.84	0.63	0.68
Tryptophan	%	0.20	0.18	0.14	0.15
Isoleucine	%	0.69	0.62	0.49	0.52
Linoleic acid	%	1.50	1.25	1.00	1.50
Calcium	%	1.00	1.00	1.00	2.50
Phosphorus, av.	%	0.48	0.44	0.38	0.44
Sodium	%	0.17	0.17	0.17	0.17
Chlorine	%	0.18	0.18	0.18	0.18

Weight Development and Feed Intake of TETRA L SUPERB Layers

Age (weeks)	Body Weight (g)	Feed Consumption	
	Range	Average (g/day)	Cumulative (kg)
20	1369 - 1484	88	0.6
21	1413 - 1531	90	1.2
22	1451 - 1572	93	1.9
23	1483 - 1607	95	2.6
24	1509 - 1635	97	3.2
25	1536 - 1664	99	3.9
26	1558 - 1688	100	4.6
27	1574 - 1705	101	5.3
28	1587 - 1720	102	6.1
29	1595 - 1728	103	6.8
30	1606 - 1740	104	7.5
35	1613 - 1748	104	11.2
40	1620 - 1755	105	14.8
45	1627 - 1763	105	18.5
50	1634 - 1770	106	22.2
55	1641 - 1778	106	26.0
60	1648 - 1785	107	29.7
65	1655 - 1793	107	33.5
70	1662 - 1800	108	37.2
75	1669 - 1808	108	41.0
80	1676 - 1815	109	44.8
85	1683 - 1823	109	48.7
90	1690 - 1830	110	52.5
95	1697 - 1838	110	56.4
100	1704 - 1846	111	60.3

* Feed amount must be adjusted to production intensity and uniformity. Check body weight weekly around peak production, increase daily feed amount for hens as production intensity rises.

Nutritional Recommendation for TETRA L SUPERB Layers with Average Daily Feed Consumption (110 g/day)

Feed Type	Layer I	Layer II	Layer III	Layer IV
Age (weeks)	19-45	46-65	66-80	81-100
Production	>90%	>80%	>70%	<70%
NUTRIENT	Standard diets (110 g/day)			
Met. energy (MJ/kg)	11.70	11.50	11.45	11.40
Met. energy (kcal/kg)	2800	2750	2740	2725
	Nutrients in diet (%)			
Crude protein	17.00	16.40	15.70	15.00
AMINO ACIDS, TOTAL				
Lysine	0.84	0.80	0.78	0.75
Methionine	0.42	0.40	0.39	0.36
Methionine+cysteine	0.73	0.71	0.68	0.65
Threonine	0.58	0.56	0.55	0.52
Valine	0.67	0.64	0.62	0.60
Arginine	0.86	0.83	0.80	0.76
Tryptophan	0.17	0.16	0.16	0.15
Isoleucine	0.67	0.64	0.62	0.60
AMINO ACIDS, DIGESTIBLE				
Lysine	0.68	0.66	0.64	0.61
Methionine	0.36	0.35	0.32	0.30
Methionine+cysteine	0.60	0.59	0.56	0.54
Threonine	0.47	0.46	0.45	0.42
Valine	0.55	0.53	0.51	0.49
Arginine	0.71	0.67	0.65	0.62
Tryptophan	0.14	0.13	0.13	0.12
Isoleucine	0.55	0.52	0.50	0.49
Linoleic acid	1.80	1.75	1.65	1.55
Calcium	3.80	3.90	4.00	4.10
Phosphorus, av.	0.40	0.38	0.36	0.35
Sodium	0.16	0.16	0.16	0.16
Chlorine	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

* When changing layer rations production level is more important than the actual age of the flock.

Values above give the opportunity to make recommendations for feed consumption differing from the average (lower or higher), on the basis of the daily nutritional needs. In the case of higher feed intake, a moderate-intensity diet is needed, while with a lower than average feed consumption, the diet should be more concentrated as shown below.

Nutritional Recommendation for TETRA L SUPERB Layers with Different Daily Feed Consumptions

Feed Type		Layer I			Layer II			Layer III			Layer IV		
		Daily feed consumption											
		105 g	110 g	115 g	105 g	110 g	115 g	105 g	110 g	115 g	105 g	110 g	115 g
Crude protein	%	17.80	17.00	16.20	17.10	16.40	15.70	16.40	15.70	15.00	15.70	15.00	14.30
AMINO ACIDS, TOTAL													
Lysine	%	0.87	0.84	0.80	0.84	0.80	0.76	0.81	0.78	0.74	0.78	0.75	0.71
Methionine	%	0.44	0.42	0.40	0.42	0.40	0.38	0.41	0.39	0.37	0.38	0.36	0.35
Methionine+cysteine	%	0.76	0.73	0.69	0.74	0.71	0.68	0.71	0.68	0.65	0.68	0.65	0.63
Threonine	%	0.61	0.58	0.56	0.59	0.56	0.54	0.57	0.55	0.52	0.54	0.52	0.49
Valine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.62	0.60	0.57
Arginine	%	0.90	0.86	0.82	0.86	0.83	0.79	0.84	0.80	0.76	0.80	0.76	0.73
Tryptophan	%	0.18	0.17	0.16	0.17	0.16	0.16	0.17	0.16	0.15	0.16	0.15	0.14
Isoleucine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.63	0.60	0.57
AMINO ACIDS, DIGESTIBLE													
Lysine	%	0.71	0.68	0.65	0.69	0.66	0.63	0.67	0.64	0.61	0.64	0.61	0.58
Methionine	%	0.38	0.36	0.35	0.36	0.35	0.33	0.33	0.32	0.30	0.31	0.30	0.29
Methionine+cysteine	%	0.63	0.60	0.57	0.62	0.59	0.56	0.58	0.56	0.53	0.56	0.54	0.51
Threonine	%	0.49	0.47	0.45	0.48	0.46	0.44	0.47	0.45	0.43	0.44	0.42	0.40
Valine	%	0.57	0.55	0.52	0.56	0.53	0.51	0.53	0.51	0.49	0.51	0.49	0.46
Arginine	%	0.74	0.71	0.68	0.70	0.67	0.64	0.67	0.65	0.62	0.65	0.62	0.59
Tryptophan	%	0.15	0.14	0.13	0.14	0.13	0.13	0.13	0.13	0.12	0.13	0.12	0.12
Isoleucine	%	0.57	0.55	0.52	0.55	0.52	0.50	0.53	0.50	0.48	0.51	0.49	0.47
Linoleic acid	%	1.90	1.80	1.70	1.80	1.75	1.65	1.70	1.65	1.60	1.60	1.55	1.50
Calcium	%	3.90	3.80	3.70	4.10	3.90	3.80	4.20	4.00	3.90	4.30	4.10	4.00
Phosphorus, av.	%	0.42	0.40	0.38	0.40	0.38	0.36	0.38	0.36	0.35	0.36	0.35	0.33
Sodium	%	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30




Production Targets for TETRA L SUPERB Layers

Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
19	8.4 - 10.4	8.4 - 10.4	0.6 - 0.7	0.6 - 0.7	41.1 - 43.1	37.5 - 46.5	24.8 - 30.7	0.0 - 0.0
20	24.8 - 26.8	24.8 - 26.8	1.7 - 1.9	2.3 - 2.6	43.8 - 45.8	41.6 - 46.5	77.7 - 84.0	0.1 - 0.1
21	55.1 - 57.1	55.2 - 57.2	3.9 - 4.0	6.2 - 6.6	46.9 - 48.9	44.9 - 47.8	184.6 - 191.3	0.3 - 0.3
22	80.3 - 82.3	80.5 - 82.5	5.6 - 5.8	11.8 - 12.4	49.3 - 51.3	47.1 - 49.3	282.8 - 289.8	0.6 - 0.6
23	90.3 - 92.3	90.6 - 92.6	6.3 - 6.5	18.1 - 18.8	51.2 - 53.2	48.7 - 50.5	329.7 - 337.0	0.9 - 0.9
24	92.7 - 94.7	93.1 - 95.1	6.5 - 6.6	24.6 - 25.5	53.4 - 55.4	50.0 - 51.7	353.0 - 360.7	1.3 - 1.3
25	94.3 - 96.3	94.8 - 96.8	6.6 - 6.7	31.2 - 32.2	54.7 - 56.7	51.1 - 52.6	367.5 - 375.3	1.6 - 1.7
26	94.6 - 96.6	95.2 - 97.2	6.6 - 6.8	37.8 - 39.0	56.1 - 58.1	52.0 - 53.5	378.3 - 386.3	2.0 - 2.1
27	94.9 - 96.9	95.5 - 97.5	6.6 - 6.8	44.5 - 45.7	56.9 - 58.9	52.8 - 54.3	384.7 - 392.8	2.4 - 2.4
28	95.0 - 97.0	95.7 - 97.7	6.7 - 6.8	51.1 - 52.5	57.5 - 59.5	53.5 - 54.9	389.0 - 397.2	2.8 - 2.8
29	94.9 - 96.9	95.7 - 97.7	6.6 - 6.8	57.8 - 59.3	57.9 - 59.9	54.0 - 55.4	391.2 - 399.5	3.2 - 3.2
30	94.8 - 96.8	95.7 - 97.7	6.6 - 6.8	64.4 - 66.1	58.3 - 60.3	54.5 - 55.9	393.4 - 401.7	3.6 - 3.6
31	94.7 - 96.7	95.7 - 97.7	6.6 - 6.8	71.0 - 72.9	58.7 - 60.7	54.9 - 56.3	395.6 - 403.9	4.0 - 4.1
32	94.6 - 96.6	95.6 - 97.6	6.6 - 6.8	77.7 - 79.6	58.9 - 60.9	55.3 - 56.6	396.4 - 404.8	4.3 - 4.5
33	94.4 - 96.4	95.5 - 97.5	6.6 - 6.7	84.3 - 86.4	59.1 - 61.1	55.6 - 57.0	396.9 - 405.3	4.7 - 4.9
34	94.2 - 96.2	95.4 - 97.4	6.6 - 6.7	90.9 - 93.1	59.3 - 61.3	55.9 - 57.2	397.3 - 405.8	5.1 - 5.3
35	94.0 - 96.0	95.2 - 97.2	6.6 - 6.7	97.4 - 99.8	59.5 - 61.5	56.2 - 57.5	397.8 - 406.2	5.5 - 5.7
36	93.8 - 95.8	95.1 - 97.1	6.6 - 6.7	104.0 - 106.5	59.6 - 61.6	56.4 - 57.7	398.2 - 406.7	5.9 - 6.1
37	93.6 - 95.6	95.0 - 97.0	6.6 - 6.7	110.6 - 113.2	59.8 - 61.8	56.6 - 58.0	398.6 - 407.1	6.3 - 6.5
38	93.3 - 95.3	94.8 - 96.8	6.5 - 6.7	117.1 - 119.9	60.0 - 62.0	56.8 - 58.2	398.6 - 407.2	6.7 - 6.9
39	93.0 - 95.0	94.5 - 96.5	6.5 - 6.7	123.6 - 126.5	60.2 - 62.2	57.0 - 58.4	398.6 - 407.2	7.1 - 7.3
40	92.7 - 94.7	94.3 - 96.3	6.5 - 6.6	130.1 - 133.2	60.4 - 62.4	57.2 - 58.5	398.6 - 407.2	7.5 - 7.7
41	92.4 - 94.4	94.1 - 96.1	6.5 - 6.6	136.6 - 139.8	60.6 - 62.6	57.4 - 58.7	398.6 - 407.2	7.9 - 8.1
42	92.1 - 94.1	93.8 - 95.8	6.4 - 6.6	143.0 - 146.4	60.8 - 62.8	57.6 - 58.9	398.5 - 407.2	8.3 - 8.5
43	91.8 - 93.8	93.6 - 95.6	6.4 - 6.6	149.4 - 152.9	61.0 - 63.0	57.7 - 59.1	398.5 - 407.2	8.7 - 8.9
44	91.4 - 93.4	93.3 - 95.3	6.4 - 6.5	155.8 - 159.5	61.2 - 63.2	57.9 - 59.2	398.0 - 406.7	9.1 - 9.3
45	91.0 - 93.0	93.0 - 95.0	6.4 - 6.5	162.2 - 166.0	61.4 - 63.4	58.0 - 59.4	397.5 - 406.2	9.5 - 9.7
46	90.6 - 92.6	92.6 - 94.6	6.3 - 6.5	168.5 - 172.5	61.6 - 63.6	58.2 - 59.5	397.0 - 405.7	9.9 - 10.1
47	90.2 - 92.2	92.3 - 94.3	6.3 - 6.5	174.9 - 178.9	61.8 - 63.8	58.3 - 59.7	396.5 - 405.2	10.3 - 10.6
48	89.8 - 91.8	92.0 - 94.0	6.3 - 6.4	181.1 - 185.3	62.0 - 64.0	58.5 - 59.8	395.9 - 404.7	10.7 - 11.0
49	89.4 - 91.4	91.6 - 93.6	6.3 - 6.4	187.4 - 191.7	62.2 - 64.2	58.6 - 59.9	395.4 - 404.2	11.1 - 11.4
50	89.0 - 91.0	91.3 - 93.3	6.2 - 6.4	193.6 - 198.1	62.4 - 64.4	58.7 - 60.1	394.8 - 403.7	11.5 - 11.8
51	88.6 - 90.6	91.0 - 93.0	6.2 - 6.3	199.8 - 204.4	62.6 - 64.6	58.9 - 60.2	394.3 - 403.2	11.9 - 12.2
52	88.2 - 90.2	90.6 - 92.6	6.2 - 6.3	206.0 - 210.8	62.8 - 64.8	59.0 - 60.3	393.7 - 402.6	12.3 - 12.6
53	87.8 - 89.8	90.3 - 92.3	6.1 - 6.3	212.1 - 217.0	63.0 - 65.0	59.1 - 60.4	393.1 - 402.1	12.7 - 13.0
54	87.4 - 89.4	89.9 - 91.9	6.1 - 6.3	218.3 - 223.3	63.2 - 65.2	59.2 - 60.6	392.5 - 401.5	13.1 - 13.4
55	87.0 - 89.0	89.6 - 91.6	6.1 - 6.2	224.4 - 229.5	63.4 - 65.4	59.3 - 60.7	391.9 - 400.9	13.5 - 13.8
56	86.6 - 88.6	89.3 - 91.3	6.1 - 6.2	230.4 - 235.7	63.5 - 65.5	59.5 - 60.8	391.3 - 400.3	13.9 - 14.2
57	86.2 - 88.2	88.9 - 90.9	6.0 - 6.2	236.5 - 241.9	63.7 - 65.7	59.6 - 60.9	390.6 - 399.7	14.3 - 14.6
58	85.8 - 87.8	88.6 - 90.6	6.0 - 6.1	242.5 - 248.1	63.9 - 65.9	59.7 - 61.1	390.0 - 399.1	14.6 - 15.0
59	85.4 - 87.4	88.3 - 90.3	6.0 - 6.1	248.4 - 254.2	64.1 - 66.1	59.8 - 61.2	389.3 - 398.5	15.0 - 15.4


Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
60	85.0 - 87.0	87.9 - 89.9	6.0 - 6.1	254.4 - 260.3	64.2 - 66.2	59.9 - 61.3	388.1 - 397.2	15.4 - 15.8
61	84.6 - 86.6	87.6 - 89.6	5.9 - 6.1	260.3 - 266.3	64.2 - 66.2	60.0 - 61.4	386.3 - 395.4	15.8 - 16.2
62	84.2 - 86.2	87.2 - 89.2	5.9 - 6.0	266.2 - 272.4	64.2 - 66.2	60.1 - 61.5	384.5 - 393.6	16.2 - 16.6
63	83.8 - 85.8	86.9 - 88.9	5.9 - 6.0	272.1 - 278.4	64.3 - 66.3	60.2 - 61.6	383.2 - 392.3	16.6 - 17.0
64	83.4 - 85.4	86.6 - 88.6	5.8 - 6.0	277.9 - 284.3	64.3 - 66.3	60.3 - 61.7	381.4 - 390.5	17.0 - 17.3
65	83.0 - 85.0	86.2 - 88.2	5.8 - 6.0	283.7 - 290.3	64.3 - 66.3	60.4 - 61.8	379.5 - 388.7	17.3 - 17.7
66	82.6 - 84.6	85.9 - 87.9	5.8 - 5.9	289.5 - 296.2	64.3 - 66.3	60.5 - 61.9	377.7 - 386.9	17.7 - 18.1
67	82.2 - 84.2	85.5 - 87.5	5.8 - 5.9	295.3 - 302.1	64.4 - 66.4	60.6 - 61.9	376.4 - 385.6	18.1 - 18.5
68	81.8 - 83.8	85.2 - 87.2	5.7 - 5.9	301.0 - 308.0	64.4 - 66.4	60.6 - 62.0	374.6 - 383.8	18.5 - 18.9
69	81.4 - 83.4	84.8 - 86.8	5.7 - 5.8	306.7 - 313.8	64.4 - 66.4	60.7 - 62.1	372.8 - 381.9	18.8 - 19.3
70	81.0 - 83.0	84.5 - 86.5	5.7 - 5.8	312.3 - 319.6	64.4 - 66.4	60.8 - 62.2	370.9 - 380.1	19.2 - 19.6
71	80.6 - 82.6	84.1 - 86.1	5.6 - 5.8	318.0 - 325.4	64.5 - 66.5	60.8 - 62.3	369.7 - 378.8	19.6 - 20.0
72	80.2 - 82.2	83.8 - 85.8	5.6 - 5.8	323.6 - 331.2	64.5 - 66.5	60.9 - 62.3	367.8 - 377.0	19.9 - 20.4
73	79.8 - 81.8	83.4 - 85.4	5.6 - 5.7	329.2 - 336.9	64.5 - 66.5	61.0 - 62.4	366.0 - 375.2	20.3 - 20.8
74	79.4 - 81.4	83.1 - 85.1	5.6 - 5.7	334.7 - 342.6	64.5 - 66.5	61.0 - 62.5	364.2 - 373.3	20.7 - 21.2
75	79.0 - 81.0	82.8 - 84.8	5.5 - 5.7	340.3 - 348.3	64.6 - 66.6	61.1 - 62.5	362.9 - 372.1	21.0 - 21.5
76	78.6 - 80.6	82.4 - 84.4	5.5 - 5.6	345.8 - 353.9	64.6 - 66.6	61.2 - 62.6	361.0 - 370.2	21.4 - 21.9
77	78.2 - 80.2	82.1 - 84.1	5.5 - 5.6	351.3 - 359.5	64.6 - 66.6	61.2 - 62.6	359.2 - 368.4	21.8 - 22.3
78	77.8 - 79.8	81.7 - 83.7	5.4 - 5.6	356.7 - 365.1	64.6 - 66.6	61.3 - 62.7	357.4 - 366.5	22.1 - 22.6
79	77.4 - 79.4	81.4 - 83.4	5.4 - 5.6	362.1 - 370.7	64.7 - 66.7	61.3 - 62.8	356.0 - 365.2	22.5 - 23.0
80	77.0 - 79.0	81.0 - 83.0	5.4 - 5.5	367.5 - 376.2	64.7 - 66.7	61.4 - 62.8	354.2 - 363.4	22.8 - 23.4
81	76.6 - 78.6	80.6 - 82.6	5.4 - 5.5	372.9 - 381.7	64.7 - 66.7	61.4 - 62.9	352.4 - 361.6	23.2 - 23.7
82	76.2 - 78.2	80.3 - 82.3	5.3 - 5.5	378.2 - 387.2	64.7 - 66.7	61.5 - 62.9	350.5 - 359.7	23.5 - 24.1
83	75.8 - 77.8	79.9 - 81.9	5.3 - 5.4	383.5 - 392.6	64.8 - 66.8	61.5 - 63.0	349.2 - 358.4	23.9 - 24.4
84	75.4 - 77.4	79.6 - 81.6	5.3 - 5.4	388.8 - 398.0	64.8 - 66.8	61.6 - 63.0	347.4 - 356.6	24.2 - 24.8
85	75.0 - 77.0	79.2 - 81.2	5.3 - 5.4	394.0 - 403.4	64.8 - 66.8	61.6 - 63.1	345.5 - 354.7	24.6 - 25.2
86	74.6 - 76.6	78.9 - 80.9	5.2 - 5.4	399.3 - 408.8	64.8 - 66.8	61.7 - 63.1	343.7 - 352.9	24.9 - 25.5
87	74.2 - 76.2	78.5 - 80.5	5.2 - 5.3	404.5 - 414.1	64.9 - 66.9	61.7 - 63.2	342.3 - 351.6	25.3 - 25.9
88	73.8 - 75.8	78.2 - 80.2	5.2 - 5.3	409.6 - 419.4	64.9 - 66.9	61.7 - 63.2	340.5 - 349.7	25.6 - 26.2
89	73.4 - 75.4	77.8 - 79.8	5.1 - 5.3	414.8 - 424.7	64.9 - 66.9	61.8 - 63.3	338.6 - 347.9	25.9 - 26.6
90	73.0 - 75.0	77.5 - 79.5	5.1 - 5.3	419.9 - 429.9	64.9 - 66.9	61.8 - 63.3	336.8 - 346.0	26.3 - 26.9
91	72.6 - 74.6	77.1 - 79.1	5.1 - 5.2	424.9 - 435.2	65.0 - 67.0	61.9 - 63.3	335.5 - 344.7	26.6 - 27.2
92	72.2 - 74.2	76.7 - 78.7	5.1 - 5.2	430.0 - 440.4	65.0 - 67.0	61.9 - 63.4	333.6 - 342.8	26.9 - 27.6
93	71.8 - 73.8	76.4 - 78.4	5.0 - 5.2	435.0 - 445.5	65.0 - 67.0	61.9 - 63.4	331.8 - 341.0	27.3 - 27.9
94	71.4 - 73.4	76.0 - 78.0	5.0 - 5.1	440.0 - 450.7	65.0 - 67.0	62.0 - 63.5	329.9 - 339.1	27.6 - 28.3
95	71.0 - 73.0	75.7 - 77.7	5.0 - 5.1	445.0 - 455.8	65.1 - 67.1	62.0 - 63.5	328.5 - 337.8	27.9 - 28.6
96	70.6 - 72.6	75.3 - 77.3	4.9 - 5.1	449.9 - 460.9	65.1 - 67.1	62.0 - 63.5	326.7 - 335.9	28.3 - 28.9
97	70.2 - 72.2	74.9 - 76.9	4.9 - 5.1	454.9 - 465.9	65.1 - 67.1	62.1 - 63.6	324.8 - 334.1	28.6 - 29.3
98	69.8 - 71.8	74.6 - 76.6	4.9 - 5.0	459.7 - 470.9	65.1 - 67.1	62.1 - 63.6	323.0 - 332.2	28.9 - 29.6
99	69.4 - 71.4	74.2 - 76.2	4.9 - 5.0	464.6 - 475.9	65.2 - 67.2	62.1 - 63.7	321.6 - 330.9	29.2 - 29.9
100	69.0 - 71.0	73.9 - 75.9	4.8 - 5.0	469.4 - 480.9	65.2 - 67.2	62.2 - 63.7	319.8 - 329.0	29.5 - 30.3



Rearing Targets for TETRA L SUPERB Pullets



Production Targets for TETRA L SUPERB Layers



The content of this Management Guide is accurate and reliable at the time of publication. However B  olna TETRA Ltd. does not accept responsibility for any errors, omissions or inaccuracies of the information contained herein. The information contained in this Guide is to be used only as a guide to assist with poultry management. It cannot cover all unforeseen circumstances related to local environmental and disease conditions. If further assistance is required, please do not hesitate to contact our sales advisors for more expert guidance. In no event, B  olna TETRA Ltd. is liable for any damages arising out of or in connection with the use of the information and suggestions included in this guide. All rights reserved. This Management Guide or any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of B  olna TETRA Ltd.