



TETRA TINT

COMMERCIAL LAYER
CHARTS AND GRAPHS
CAGE SYSTEM

SZÉCHENYI 



HUNGARIAN
GOVERNMENT

European Union
European Regional
Development Fund



INVESTING IN YOUR FUTURE

TINT Commercial Layer Performance Specifications Cage System

Liveability	
0-17 weeks of age	97 - 98%
18-100 weeks of age	92 - 94%
Feed consumption	
0-17 weeks of age	5.5 - 5.9 kg
18-100 weeks of age (average)	105 - 110 g/day
Body weight	
At 17 weeks of age	1.30 - 1.41 kg
At 100 weeks of age	1.88 - 2.04 kg
Maturity	
Age at 50% production	140 - 150 days
Age at 90% production	160 - 170 days
Egg production per hen housed	
Peak production	96 - 98%
Production over 90%	32 - 34 weeks
Until 72 weeks of age	330 - 338
Until 80 weeks of age	376 - 384
Until 100 weeks of age	481 - 493
Egg mass per hen housed	
Until 72 weeks of age	20.9 - 21.4 kg
Until 80 weeks of age	23.9 - 24.5 kg
Until 100 weeks of age	31.1 - 31.8 kg
Egg weight (weekly average)	
Until 72 weeks of age	66.2 - 68.2 g
Until 80 weeks of age	66.4 - 68.4 g
Until 100 weeks of age	66.9 - 68.9 g
Average egg weight	63.8 - 65.3 g
Egg shell	
Shell strength	40 N
Shell colour	Creamy

Weight Development and Feed Intake of TINT Pullets Cage System

Age (weeks)	Body Weight (g)	Feed Consumption		Feed Type
	Range	Average (g/day)	Cumulative (kg)	
1	73 - 79	10	0.1	Starter I
2	123 - 133	17	0.2	
3	184 - 200	23	0.4	
4	259 - 281	29	0.6	Starter II
5	349 - 379	34	0.8	
6	445 - 483	39	1.1	
7	542 - 588	44	1.4	
8	636 - 690	47	1.7	
9	727 - 787	51	2.1	Grower
10	813 - 881	55	2.4	
11	896 - 970	58	2.8	
12	974 - 1056	60	3.3	
13	1046 - 1134	64	3.7	
14	1113 - 1205	67	4.2	
15	1175 - 1273	69	4.7	
16	1237 - 1341	73	5.2	
17	1298 - 1406	76	5.7	
18	1358 - 1472	80	6.3	Pre-layer
19	1421 - 1539	86	6.9	

* Always check average body weight of the flock before switching to the next feed type level. If body weight is lower than stated in the Management Guide, do not move on from one diet to another. Control the body weight frequently, until birds reach their target weight.

Nutritional Recommendation for TINT Pullets
Cage System

Feed Type		Starter I	Starter II	Grower	Pre-layer
Age (weeks)		0-3	4-8	9-17	18-19
NUTRIENT					
Met. energy	MJ/kg	12.35	12.00	11.50	11.70
Met. energy	kcal/kg	2950	2870	2750	2800
Crude protein	%	20.00	18.00	15.50	17.50
AMINO ACIDS, TOTAL					
Lysine	%	1.20	1.00	0.75	0.80
Methionine	%	0.48	0.42	0.35	0.40
Methionine+cysteine	%	0.84	0.74	0.61	0.70
Threonine	%	0.75	0.65	0.50	0.60
Valine	%	0.93	0.78	0.60	0.65
Arginine	%	1.22	1.02	0.77	0.82
Tryptophan	%	0.24	0.22	0.17	0.18
Isoleucine	%	0.84	0.75	0.60	0.64
AMINO ACIDS, DIGESTIBLE					
Lysine	%	1.00	0.83	0.60	0.70
Methionine	%	0.40	0.35	0.30	0.35
Methionine+cysteine	%	0.70	0.60	0.50	0.58
Threonine	%	0.63	0.55	0.42	0.50
Valine	%	0.76	0.65	0.50	0.54
Arginine	%	1.02	0.84	0.63	0.68
Tryptophan	%	0.20	0.18	0.14	0.15
Isoleucine	%	0.69	0.62	0.49	0.52
Linoleic acid	%	1.50	1.25	1.00	1.50
Calcium	%	1.00	1.00	1.00	2.50
Phosphorus, av.	%	0.48	0.44	0.38	0.44
Sodium	%	0.17	0.17	0.17	0.17
Chlorine	%	0.18	0.18	0.18	0.18

Weight Development and Feed Intake of TINT Layers
Cage System

Age (weeks)	Body Weight (g)	Feed Consumption	
	Range	Average (g/day)	Cumulative (kg)
20	1481 - 1605	89	0.6
21	1536 - 1664	92	1.3
22	1586 - 1718	95	1.9
23	1630 - 1766	98	2.6
24	1668 - 1806	101	3.3
25	1699 - 1841	104	4.1
26	1723 - 1867	106	4.8
27	1741 - 1887	108	5.6
28	1756 - 1902	109	6.3
29	1764 - 1912	110	7.1
30	1777 - 1925	111	7.9
35	1785 - 1933	111	11.7
40	1792 - 1942	110	15.6
45	1800 - 1950	110	19.4
50	1808 - 1958	109	23.3
55	1815 - 1967	109	27.1
60	1823 - 1975	108	30.9
65	1831 - 1983	108	34.6
70	1838 - 1992	107	38.4
75	1846 - 2000	107	42.1
80	1854 - 2008	106	45.8
85	1861 - 2017	106	49.5
90	1869 - 2025	105	53.2
95	1877 - 2033	105	56.9
100	1884 - 2042	105	60.6

* Feed amount must be adjusted to production intensity and uniformity. Check body weight weekly around peak production, increase daily feed amount for hens as production intensity rises.

Nutritional Recommendation for TINT Layers with Average Daily Feed Consumption (110 g/day) Cage System

Feed Type		Layer I	Layer II	Layer III	Layer IV
Age (weeks)		19-56	57-81	82-97	98-100
Production		>90%	>80%	>70%	<70%
NUTRIENT					
Met. energy (MJ/kg)	Mj/kg	11.70	11.50	11.45	11.40
Met. energy (kcal/kg)	kcal/kg	2800	2750	2740	2725
Crude protein	%	17.00	16.40	15.70	15.00
AMINO ACIDS, TOTAL					
Lysine	%	0.84	0.80	0.78	0.75
Methionine	%	0.42	0.40	0.39	0.36
Methionine+cysteine	%	0.73	0.71	0.68	0.65
Threonine	%	0.58	0.56	0.55	0.52
Valine	%	0.67	0.64	0.62	0.60
Arginine	%	0.86	0.83	0.80	0.76
Tryptophan	%	0.17	0.16	0.16	0.15
Isoleucine	%	0.67	0.64	0.62	0.60
AMINO ACIDS, DIGESTIBLE					
Lysine	%	0.68	0.66	0.64	0.61
Methionine	%	0.36	0.35	0.32	0.30
Methionine+cysteine	%	0.60	0.59	0.56	0.54
Threonine	%	0.47	0.46	0.45	0.42
Valine	%	0.55	0.53	0.51	0.49
Arginine	%	0.71	0.67	0.65	0.62
Tryptophan	%	0.14	0.13	0.13	0.12
Isoleucine	%	0.55	0.52	0.50	0.49
Linoleic acid	%	1.80	1.75	1.65	1.55
Calcium	%	3.80	3.90	4.00	4.10
Phosphorus, av.	%	0.40	0.38	0.36	0.35
Sodium	%	0.16	0.16	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

* When changing layer rations production level is more important than the actual age of the flock.

In the case of higher feed intake, a moderate-intensity diet is needed, while with a lower than average feed consumption, the diet should be more concentrated as shown below.

Nutritional Recommendation for TINT Layers with Different Daily Feed Consumptions Cage System


Feed Type		Layer I			Layer II			Layer III			Layer IV		
Daily feed consumption		105 g	110 g	115 g	105 g	110 g	115 g	105 g	110 g	115 g	105 g	110 g	115 g
NUTRIENT													
Crude protein	%	17.80	17.00	16.20	17.10	16.40	15.70	16.40	15.70	15.00	15.70	15.00	14.30
AMINO ACIDS, TOTAL													
Lysine	%	0.87	0.84	0.80	0.84	0.80	0.76	0.81	0.78	0.74	0.78	0.75	0.71
Methionine	%	0.44	0.42	0.40	0.42	0.40	0.38	0.41	0.39	0.37	0.38	0.36	0.35
Methionine+cysteine	%	0.76	0.73	0.69	0.74	0.71	0.68	0.71	0.68	0.65	0.68	0.65	0.63
Threonine	%	0.61	0.58	0.56	0.59	0.56	0.54	0.57	0.55	0.52	0.54	0.52	0.49
Valine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.62	0.60	0.57
Arginine	%	0.90	0.86	0.82	0.86	0.83	0.79	0.84	0.80	0.76	0.80	0.76	0.73
Tryptophan	%	0.18	0.17	0.16	0.17	0.16	0.16	0.17	0.16	0.15	0.16	0.15	0.14
Isoleucine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.63	0.60	0.57
AMINO ACIDS, DIGESTIBLE													
Lysine	%	0.71	0.68	0.65	0.69	0.66	0.63	0.67	0.64	0.61	0.64	0.61	0.58
Methionine	%	0.38	0.36	0.35	0.36	0.35	0.33	0.33	0.32	0.30	0.31	0.30	0.29
Methionine+cysteine	%	0.63	0.60	0.57	0.62	0.59	0.56	0.58	0.56	0.53	0.56	0.54	0.51
Threonine	%	0.49	0.47	0.45	0.48	0.46	0.44	0.47	0.45	0.43	0.44	0.42	0.40
Valine	%	0.57	0.55	0.52	0.56	0.53	0.51	0.53	0.51	0.49	0.51	0.49	0.46
Arginine	%	0.74	0.71	0.68	0.70	0.67	0.64	0.67	0.65	0.62	0.65	0.62	0.59
Tryptophan	%	0.15	0.14	0.13	0.14	0.13	0.13	0.13	0.13	0.12	0.13	0.12	0.12
Isoleucine	%	0.57	0.55	0.52	0.55	0.52	0.50	0.53	0.50	0.48	0.51	0.49	0.47
Linoleic acid	%	1.90	1.80	1.70	1.80	1.75	1.65	1.70	1.65	1.60	1.60	1.55	1.50
Calcium	%	3.90	3.80	3.70	4.10	3.90	3.80	4.20	4.00	3.90	4.30	4.10	4.00
Phosphorus, av.	%	0.42	0.40	0.38	0.40	0.38	0.36	0.38	0.36	0.35	0.36	0.35	0.33
Sodium	%	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

Production Targets for TINT Layers
Cage System


Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
19	8.5 - 10.5	8.5 - 10.5	0.6 - 0.7	0.6 - 0.7	42.2 - 44.2	38.7 - 47.7	25.7 - 31.8	0.0 - 0.0
20	25.0 - 27.0	25.0 - 27.0	1.8 - 1.9	2.3 - 2.6	44.9 - 46.9	42.7 - 47.7	80.3 - 86.8	0.1 - 0.1
21	55.6 - 57.6	55.7 - 57.7	3.9 - 4.0	6.2 - 6.7	48.1 - 50.1	46.1 - 49.1	191.1 - 198.0	0.3 - 0.3
22	81.0 - 83.0	81.2 - 83.2	5.7 - 5.8	11.9 - 12.5	50.6 - 52.6	48.4 - 50.6	292.6 - 299.8	0.6 - 0.6
23	91.0 - 93.0	91.3 - 93.3	6.4 - 6.5	18.3 - 19.0	52.5 - 54.5	50.0 - 51.8	340.8 - 348.3	0.9 - 1.0
24	93.5 - 95.5	93.9 - 95.9	6.5 - 6.7	24.8 - 25.7	54.8 - 56.8	51.3 - 53.0	365.2 - 373.0	1.3 - 1.3
25	95.1 - 97.1	95.6 - 97.6	6.7 - 6.8	31.5 - 32.5	56.1 - 58.1	52.4 - 54.0	380.1 - 388.1	1.7 - 1.7
26	95.4 - 97.4	95.9 - 97.9	6.7 - 6.8	38.2 - 39.3	57.6 - 59.6	53.4 - 54.9	391.3 - 399.5	2.1 - 2.1
27	95.7 - 97.7	96.3 - 98.3	6.7 - 6.8	44.9 - 46.1	58.4 - 60.4	54.2 - 55.7	397.9 - 406.2	2.5 - 2.5
28	95.8 - 97.8	96.5 - 98.5	6.7 - 6.8	51.6 - 53.0	59.0 - 61.0	54.9 - 56.3	402.4 - 410.8	2.9 - 2.9
29	95.7 - 97.7	96.5 - 98.5	6.7 - 6.8	58.3 - 59.8	59.4 - 61.4	55.4 - 56.8	404.6 - 413.1	3.3 - 3.4
30	95.6 - 97.6	96.5 - 98.5	6.7 - 6.8	65.0 - 66.6	59.8 - 61.8	55.9 - 57.3	406.9 - 415.4	3.7 - 3.8
31	95.5 - 97.5	96.4 - 98.4	6.7 - 6.8	71.6 - 73.5	60.2 - 62.2	56.3 - 57.7	409.1 - 417.7	4.1 - 4.2
32	95.4 - 97.4	96.4 - 98.4	6.7 - 6.8	78.3 - 80.3	60.4 - 62.4	56.7 - 58.1	410.0 - 418.6	4.5 - 4.6
33	95.3 - 97.3	96.4 - 98.4	6.7 - 6.8	85.0 - 87.1	60.6 - 62.6	57.1 - 58.4	410.9 - 419.6	4.9 - 5.0
34	95.2 - 97.2	96.4 - 98.4	6.7 - 6.8	91.7 - 93.9	60.8 - 62.8	57.4 - 58.7	411.8 - 420.5	5.3 - 5.4
35	95.1 - 97.1	96.3 - 98.3	6.7 - 6.8	98.3 - 100.7	61.0 - 63.0	57.6 - 59.0	412.7 - 421.4	5.7 - 5.9
36	95.0 - 97.0	96.3 - 98.3	6.7 - 6.8	105.0 - 107.5	61.2 - 63.2	57.9 - 59.2	413.6 - 422.3	6.1 - 6.3
37	94.8 - 96.8	96.2 - 98.2	6.6 - 6.8	111.6 - 114.3	61.4 - 63.4	58.1 - 59.5	414.1 - 422.8	6.6 - 6.7
38	94.6 - 96.6	96.1 - 98.1	6.6 - 6.8	118.2 - 121.0	61.6 - 63.6	58.3 - 59.7	414.5 - 423.3	7.0 - 7.1
39	94.4 - 96.4	96.0 - 98.0	6.6 - 6.7	124.8 - 127.8	61.8 - 63.8	58.5 - 59.9	415.0 - 423.8	7.4 - 7.6
40	94.2 - 96.2	95.8 - 97.8	6.6 - 6.7	131.4 - 134.5	62.0 - 64.0	58.7 - 60.1	415.4 - 424.2	7.8 - 8.0
41	94.0 - 96.0	95.7 - 97.7	6.6 - 6.7	138.0 - 141.2	62.2 - 64.2	58.9 - 60.2	415.9 - 424.7	8.2 - 8.4
42	93.8 - 95.8	95.6 - 97.6	6.6 - 6.7	144.6 - 147.9	62.4 - 64.4	59.1 - 60.4	416.3 - 425.2	8.6 - 8.8
43	93.5 - 95.5	95.3 - 97.3	6.5 - 6.7	151.1 - 154.6	62.6 - 64.6	59.2 - 60.6	416.3 - 425.2	9.1 - 9.3
44	93.2 - 95.2	95.1 - 97.1	6.5 - 6.7	157.6 - 161.3	62.8 - 64.8	59.4 - 60.7	416.2 - 425.2	9.5 - 9.7
45	92.9 - 94.9	94.9 - 96.9	6.5 - 6.6	164.1 - 167.9	63.0 - 65.0	59.6 - 60.9	416.2 - 425.2	9.9 - 10.1
46	92.6 - 94.6	94.7 - 96.7	6.5 - 6.6	170.6 - 174.5	63.2 - 65.2	59.7 - 61.0	416.1 - 425.1	10.3 - 10.5
47	92.3 - 94.3	94.4 - 96.4	6.5 - 6.6	177.1 - 181.1	63.4 - 65.4	59.8 - 61.2	416.1 - 425.1	10.7 - 11.0
48	92.0 - 94.0	94.2 - 96.2	6.4 - 6.6	183.5 - 187.7	63.6 - 65.6	60.0 - 61.3	416.0 - 425.1	11.1 - 11.4
49	91.7 - 93.7	94.0 - 96.0	6.4 - 6.6	189.9 - 194.3	63.8 - 65.8	60.1 - 61.5	416.0 - 425.0	11.6 - 11.8
50	91.4 - 93.4	93.7 - 95.7	6.4 - 6.5	196.3 - 200.8	64.0 - 66.0	60.3 - 61.6	415.9 - 425.0	12.0 - 12.2
51	91.1 - 93.1	93.5 - 95.5	6.4 - 6.5	202.7 - 207.3	64.2 - 66.2	60.4 - 61.8	415.8 - 424.9	12.4 - 12.7
52	90.8 - 92.8	93.3 - 95.3	6.4 - 6.5	209.1 - 213.8	64.4 - 66.4	60.5 - 61.9	415.7 - 424.8	12.8 - 13.1
53	90.4 - 92.4	93.0 - 95.0	6.3 - 6.5	215.4 - 220.3	64.6 - 66.6	60.7 - 62.0	415.1 - 424.3	13.2 - 13.5
54	90.0 - 92.0	92.6 - 94.6	6.3 - 6.4	221.7 - 226.7	64.8 - 66.8	60.8 - 62.1	414.5 - 423.8	13.6 - 13.9
55	89.6 - 91.6	92.3 - 94.3	6.3 - 6.4	228.0 - 233.1	65.0 - 67.0	60.9 - 62.3	414.0 - 423.2	14.0 - 14.4
56	89.2 - 91.2	92.0 - 94.0	6.2 - 6.4	234.2 - 239.5	65.2 - 67.2	61.0 - 62.4	413.4 - 422.6	14.5 - 14.8
57	88.8 - 90.8	91.6 - 93.6	6.2 - 6.4	240.4 - 245.9	65.4 - 67.4	61.1 - 62.5	412.7 - 422.0	14.9 - 15.2
58	88.4 - 90.4	91.3 - 93.3	6.2 - 6.3	246.6 - 252.2	65.6 - 67.6	61.3 - 62.6	412.1 - 421.4	15.3 - 15.6
59	88.0 - 90.0	90.9 - 92.9	6.2 - 6.3	252.8 - 258.5	65.8 - 67.8	61.4 - 62.8	411.5 - 420.8	15.7 - 16.0

Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
60	87.6 - 89.6	90.6 - 92.6	6.1 - 6.3	258.9 - 264.8	65.9 - 67.9	61.5 - 62.9	410.2 - 419.6	16.1 - 16.5
61	87.2 - 89.2	90.3 - 92.3	6.1 - 6.2	265.0 - 271.0	65.9 - 67.9	61.6 - 63.0	408.4 - 417.7	16.5 - 16.9
62	86.8 - 88.8	89.9 - 91.9	6.1 - 6.2	271.1 - 277.2	65.9 - 67.9	61.7 - 63.1	406.5 - 415.9	16.9 - 17.3
63	86.4 - 88.4	89.6 - 91.6	6.0 - 6.2	277.1 - 283.4	66.0 - 68.0	61.8 - 63.2	405.2 - 414.6	17.3 - 17.7
64	86.0 - 88.0	89.2 - 91.2	6.0 - 6.2	283.2 - 289.6	66.0 - 68.0	61.9 - 63.3	403.3 - 412.7	17.7 - 18.1
65	85.6 - 87.6	88.9 - 90.9	6.0 - 6.1	289.1 - 295.7	66.0 - 68.0	62.0 - 63.4	401.5 - 410.8	18.1 - 18.5
66	85.2 - 87.2	88.6 - 90.6	6.0 - 6.1	295.1 - 301.8	66.0 - 68.0	62.1 - 63.5	399.6 - 409.0	18.5 - 18.9
67	84.8 - 86.8	88.2 - 90.2	5.9 - 6.1	301.0 - 307.9	66.1 - 68.1	62.2 - 63.6	398.3 - 407.7	18.9 - 19.4
68	84.4 - 86.4	87.9 - 89.9	5.9 - 6.0	307.0 - 314.0	66.1 - 68.1	62.2 - 63.6	396.4 - 405.8	19.3 - 19.8
69	84.0 - 86.0	87.5 - 89.5	5.9 - 6.0	312.8 - 320.0	66.1 - 68.1	62.3 - 63.7	394.5 - 403.9	19.7 - 20.2
70	83.6 - 85.6	87.2 - 89.2	5.9 - 6.0	318.7 - 326.0	66.1 - 68.1	62.4 - 63.8	392.7 - 402.1	20.1 - 20.6
71	83.2 - 85.2	86.9 - 88.9	5.8 - 6.0	324.5 - 331.9	66.2 - 68.2	62.5 - 63.9	391.4 - 400.8	20.5 - 21.0
72	82.8 - 84.8	86.5 - 88.5	5.8 - 5.9	330.3 - 337.9	66.2 - 68.2	62.5 - 63.9	389.5 - 398.9	20.9 - 21.4
73	82.4 - 84.4	86.2 - 88.2	5.8 - 5.9	336.1 - 343.8	66.2 - 68.2	62.6 - 64.0	387.6 - 397.0	21.3 - 21.8
74	82.0 - 84.0	85.8 - 87.8	5.7 - 5.9	341.8 - 349.7	66.2 - 68.2	62.7 - 64.1	385.7 - 395.1	21.7 - 22.2
75	81.6 - 83.6	85.5 - 87.5	5.7 - 5.9	347.5 - 355.5	66.3 - 68.3	62.7 - 64.1	384.4 - 393.8	22.0 - 22.5
76	81.2 - 83.2	85.1 - 87.1	5.7 - 5.8	353.2 - 361.3	66.3 - 68.3	62.8 - 64.2	382.5 - 392.0	22.4 - 22.9
77	80.8 - 82.8	84.8 - 86.8	5.7 - 5.8	358.9 - 367.1	66.3 - 68.3	62.8 - 64.3	380.6 - 390.1	22.8 - 23.3
78	80.4 - 82.4	84.4 - 86.4	5.6 - 5.8	364.5 - 372.9	66.3 - 68.3	62.9 - 64.3	378.8 - 388.2	23.2 - 23.7
79	80.0 - 82.0	84.1 - 86.1	5.6 - 5.7	370.1 - 378.6	66.4 - 68.4	63.0 - 64.4	377.4 - 386.9	23.6 - 24.1
80	79.6 - 81.6	83.7 - 85.7	5.6 - 5.7	375.7 - 384.3	66.4 - 68.4	63.0 - 64.4	375.6 - 385.0	23.9 - 24.5
81	79.2 - 81.2	83.4 - 85.4	5.5 - 5.7	381.2 - 390.0	66.4 - 68.4	63.1 - 64.5	373.7 - 383.1	24.3 - 24.9
82	78.8 - 80.8	83.0 - 85.0	5.5 - 5.7	386.7 - 395.7	66.4 - 68.4	63.1 - 64.6	371.8 - 381.2	24.7 - 25.3
83	78.4 - 80.4	82.7 - 84.7	5.5 - 5.6	392.2 - 401.3	66.5 - 68.5	63.2 - 64.6	370.4 - 379.9	25.1 - 25.6
84	78.0 - 80.0	82.3 - 84.3	5.5 - 5.6	397.7 - 406.9	66.5 - 68.5	63.2 - 64.7	368.6 - 378.0	25.4 - 26.0
85	77.6 - 79.6	82.0 - 84.0	5.4 - 5.6	403.1 - 412.5	66.5 - 68.5	63.2 - 64.7	366.7 - 376.1	25.8 - 26.4
86	77.2 - 79.2	81.6 - 83.6	5.4 - 5.5	408.5 - 418.0	66.5 - 68.5	63.3 - 64.8	364.8 - 374.2	26.2 - 26.8
87	76.8 - 78.8	81.3 - 83.3	5.4 - 5.5	413.9 - 423.5	66.6 - 68.6	63.3 - 64.8	363.4 - 372.9	26.5 - 27.1
88	76.4 - 78.4	80.9 - 82.9	5.3 - 5.5	419.2 - 429.0	66.6 - 68.6	63.4 - 64.9	361.5 - 371.0	26.9 - 27.5
89	76.0 - 78.0	80.6 - 82.6	5.3 - 5.5	424.6 - 434.5	66.6 - 68.6	63.4 - 64.9	359.6 - 369.1	27.2 - 27.9
90	75.6 - 77.6	80.2 - 82.2	5.3 - 5.4	429.8 - 439.9	66.6 - 68.6	63.5 - 64.9	357.7 - 367.2	27.6 - 28.2
91	75.2 - 77.2	79.9 - 81.9	5.3 - 5.4	435.1 - 445.3	66.7 - 68.7	63.5 - 65.0	356.4 - 365.9	28.0 - 28.6
92	74.8 - 76.8	79.5 - 81.5	5.2 - 5.4	440.3 - 450.7	66.7 - 68.7	63.5 - 65.0	354.5 - 364.0	28.3 - 29.0
93	74.4 - 76.4	79.1 - 81.1	5.2 - 5.3	445.6 - 456.1	66.7 - 68.7	63.6 - 65.1	352.6 - 362.1	28.7 - 29.3
94	74.0 - 76.0	78.8 - 80.8	5.2 - 5.3	450.7 - 461.4	66.7 - 68.7	63.6 - 65.1	350.7 - 360.2	29.0 - 29.7
95	73.6 - 75.6	78.4 - 80.4	5.2 - 5.3	455.9 - 466.7	66.8 - 68.8	63.7 - 65.2	349.3 - 358.8	29.4 - 30.1
96	73.2 - 75.2	78.1 - 80.1	5.1 - 5.3	461.0 - 471.9	66.8 - 68.8	63.7 - 65.2	347.4 - 356.9	29.7 - 30.4
97	72.8 - 74.8	77.7 - 79.7	5.1 - 5.2	466.1 - 477.2	66.8 - 68.8	63.7 - 65.2	345.5 - 355.0	30.1 - 30.8
98	72.4 - 74.4	77.4 - 79.4	5.1 - 5.2	471.2 - 482.4	66.8 - 68.8	63.8 - 65.3	343.6 - 353.1	30.4 - 31.1
99	72.0 - 74.0	77.0 - 79.0	5.0 - 5.2	476.2 - 487.6	66.9 - 68.9	63.8 - 65.3	342.2 - 351.7	30.7 - 31.5
100	71.6 - 73.6	76.6 - 78.6	5.0 - 5.2	481.2 - 492.7	66.9 - 68.9	63.8 - 65.3	340.3 - 349.8	31.1 - 31.8

Rearing Targets for TINT Pullets Cage System



Production Targets for TINT Layers Cage System



The content of this Management Guide is accurate and reliable at the time of publication. However Bábolna TETRA Ltd. does not accept responsibility for any errors, omissions or inaccuracies of the information contained herein. The information contained in this Guide is to be used only as a guide to assist with poultry management. It cannot cover all unforeseen circumstances related to local environmental and disease conditions. If further assistance is required, please do not hesitate to contact our sales advisors for more expert guidance. In no event, Bábolna TETRA Ltd. is liable for any damages arising out of or in connection with the use of the information and suggestions included in this guide. All rights reserved. This Management Guide or any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Bábolna TETRA Ltd.