



 **TETRA**
SELECTED FOR QUALITY

TETRA TINT
COMMERCIAL LAYER
CHARTS AND GRAPHS
FLOOR SYSTEM

SZÉCHENYI 



HUNGARIAN
GOVERNMENT

European Union
European Regional
Development Fund



INVESTING IN YOUR FUTURE

TINT Commercial Layer Performance Specifications Floor System

Liveability	
0-17 weeks of age	97 - 98%
18-100 weeks of age	92 - 94%
Feed consumption	
0-17 weeks of age	6.4 - 6.8 kg
18-100 weeks of age (average)	115 - 120 g/day
Body weight	
At 17 weeks of age	1.30 - 1.41 kg
At 100 weeks of age	1.88 - 2.04 kg
Maturity	
Age at 50% production	140 - 150 days
Age at 90% production	160 - 170 days
Egg production per hen housed	
Peak production	91 - 93%
Production over 90%	18 - 20 weeks
Until 72 weeks of age	314 - 321
Until 80 weeks of age	357 - 365
Until 100 weeks of age	457 - 468
Egg mass per hen housed	
Until 72 weeks of age	19.8 - 20.3 kg
Until 80 weeks of age	22.7 - 23.3 kg
Until 100 weeks of age	29.5 - 30.3 kg
Egg weight (weekly average)	
Until 72 weeks of age	66.2 - 68.2 g
Until 80 weeks of age	66.4 - 68.4 g
Until 100 weeks of age	66.9 - 68.9 g
Average egg weight	63.8 - 65.3 g
Egg shell	
Shell strength	40 N
Shell colour	Creamy

Weight Development and Feed Intake of TINT Pullets Floor System

Age (weeks)	Body Weight (g)	Feed Consumption		Feed Type
	Range	Average (g/day)	Cumulative (kg)	
1	73 - 79	12	0.1	Starter I
2	123 - 133	20	0.2	
3	184 - 200	27	0.4	
4	259 - 281	34	0.6	Starter II
5	349 - 379	40	0.9	
6	445 - 483	44	1.2	
7	542 - 588	50	1.6	
8	636 - 690	55	2.0	
9	727 - 787	59	2.4	Grower
10	813 - 881	63	2.8	
11	896 - 970	66	3.3	
12	974 - 1056	69	3.8	
13	1046 - 1134	73	4.3	
14	1113 - 1205	77	4.8	
15	1175 - 1273	80	5.4	
16	1237 - 1341	84	6.0	
17	1298 - 1406	88	6.6	
18	1358 - 1472	92	7.2	Pre-layer
19	1421 - 1539	98	7.9	

* Always check average body weight of the flock before switching to the next feed type level. If body weight is lower than stated in the Management Guide, do not move on from one diet to another. Control the body weight frequently, until birds reach their target weight.

Nutritional Recommendation for TINT Pullets
Floor System

Feed Type		Starter I	Starter II	Grower	Pre-layer
Age (weeks)		0-3	4-8	9-17	18-19
NUTRIENT					
Met. energy	MJ/kg	12.35	12.00	11.50	11.70
Met. energy	kcal/kg	2950	2870	2750	2800
Crude protein	%	20.00	18.00	15.50	17.50
AMINO ACIDS, TOTAL					
Lysine	%	1.20	1.00	0.75	0.80
Methionine	%	0.48	0.42	0.35	0.40
Methionine+cysteine	%	0.84	0.74	0.61	0.70
Threonine	%	0.75	0.65	0.50	0.60
Valine	%	0.93	0.78	0.60	0.65
Arginine	%	1.22	1.02	0.77	0.82
Tryptophan	%	0.24	0.22	0.17	0.18
Isoleucine	%	0.84	0.75	0.60	0.64
AMINO ACIDS, DIGESTIBLE					
Lysine	%	1.00	0.83	0.60	0.70
Methionine	%	0.40	0.35	0.30	0.35
Methionine+cysteine	%	0.70	0.60	0.50	0.58
Threonine	%	0.63	0.55	0.42	0.50
Valine	%	0.76	0.65	0.50	0.54
Arginine	%	1.02	0.84	0.63	0.68
Tryptophan	%	0.20	0.18	0.14	0.15
Isoleucine	%	0.69	0.62	0.49	0.52
Linoleic acid	%	1.50	1.25	1.00	1.50
Calcium	%	1.00	1.00	1.00	2.50
Phosphorus, av.	%	0.48	0.44	0.38	0.44
Sodium	%	0.17	0.17	0.17	0.17
Chlorine	%	0.18	0.18	0.18	0.18

Weight Development and Feed Intake of TINT Layers
Floor System

Age (weeks)	Body Weight (g)	Feed Consumption	
	Range	Average (g/day)	Cumulative (kg)
20	1481 - 1605	102	0.7
21	1536 - 1664	105	1.5
22	1586 - 1718	108	2.2
23	1630 - 1766	111	3.0
24	1668 - 1806	113	3.8
25	1699 - 1841	115	4.6
26	1723 - 1867	116	5.4
27	1741 - 1887	117	6.2
28	1756 - 1902	118	7.0
29	1764 - 1912	120	7.9
30	1777 - 1925	121	8.7
35	1785 - 1933	121	13.0
40	1792 - 1942	120	17.1
45	1800 - 1950	120	21.3
50	1808 - 1958	119	25.5
55	1815 - 1967	119	29.7
60	1823 - 1975	118	33.8
65	1831 - 1983	118	38.0
70	1838 - 1992	117	42.1
75	1846 - 2000	117	46.2
80	1854 - 2008	116	50.2
85	1861 - 2017	116	54.3
90	1869 - 2025	115	58.3
95	1877 - 2033	115	62.3
100	1884 - 2042	115	66.4

* Feed amount must be adjusted to production intensity and uniformity. Check body weight weekly around peak production, increase daily feed amount for hens as production intensity rises.

Nutritional Recommendation for TINT Layers with Average Daily Feed Consumption (120 g/day)

Floor System

Feed Type		Layer I	Layer II	Layer III	Layer IV
Age (weeks)		19-42	43-71	72-97	98-100
Production		>90%	>80%	>70%	<70%
NUTRIENT					
Met. energy (MJ/kg)	Mj/kg	11.70	11.50	11.45	11.40
Met. energy (kcal/kg)	kcal/kg	2800	2750	2740	2725
Crude protein	%	17.00	16.40	15.70	15.00
AMINO ACIDS, TOTAL					
Lysine	%	0.84	0.80	0.78	0.75
Methionine	%	0.42	0.40	0.39	0.36
Methionine+cysteine	%	0.73	0.71	0.68	0.65
Threonine	%	0.58	0.56	0.55	0.52
Valine	%	0.67	0.64	0.62	0.60
Arginine	%	0.86	0.83	0.80	0.76
Tryptophan	%	0.17	0.16	0.16	0.15
Isoleucine	%	0.67	0.64	0.62	0.60
AMINO ACIDS, DIGESTIBLE					
Lysine	%	0.68	0.66	0.64	0.61
Methionine	%	0.36	0.35	0.32	0.30
Methionine+cysteine	%	0.60	0.59	0.56	0.54
Threonine	%	0.47	0.46	0.45	0.42
Valine	%	0.55	0.53	0.51	0.49
Arginine	%	0.71	0.67	0.65	0.62
Tryptophan	%	0.14	0.13	0.13	0.12
Isoleucine	%	0.55	0.52	0.50	0.49
Linoleic acid	%	1.80	1.75	1.65	1.55
Calcium	%	3.80	3.90	4.00	4.10
Phosphorus, av.	%	0.40	0.38	0.36	0.35
Sodium	%	0.16	0.16	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

* When changing layer ratios production level is more important than the actual age of the flock.

In the case of higher feed intake, a moderate-intensity diet is needed, while with a lower than average feed consumption, the diet should be more concentrated as shown below.

Nutritional Recommendation for TINT Layers with Different Daily Feed Consumptions

Floor System


Feed Type		Layer I			Layer II			Layer III			Layer IV		
Daily feed consumption		115 g	120 g	125 g	115 g	120 g	125 g	115 g	120 g	125 g	115 g	120 g	125 g
NUTRIENT													
Crude protein	%	17.80	17.00	16.20	17.10	16.40	15.70	16.40	15.70	15.00	15.70	15.00	14.30
AMINO ACIDS, TOTAL													
Lysine	%	0.87	0.84	0.80	0.84	0.80	0.76	0.81	0.78	0.74	0.78	0.75	0.71
Methionine	%	0.44	0.42	0.40	0.42	0.40	0.38	0.41	0.39	0.37	0.38	0.36	0.35
Methionine+cysteine	%	0.76	0.73	0.69	0.74	0.71	0.68	0.71	0.68	0.65	0.68	0.65	0.63
Threonine	%	0.61	0.58	0.56	0.59	0.56	0.54	0.57	0.55	0.52	0.54	0.52	0.49
Valine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.62	0.60	0.57
Arginine	%	0.90	0.86	0.82	0.86	0.83	0.79	0.84	0.80	0.76	0.80	0.76	0.73
Tryptophan	%	0.18	0.17	0.16	0.17	0.16	0.16	0.17	0.16	0.15	0.16	0.15	0.14
Isoleucine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.63	0.60	0.57
AMINO ACIDS, DIGESTIBLE													
Lysine	%	0.71	0.68	0.65	0.69	0.66	0.63	0.67	0.64	0.61	0.64	0.61	0.58
Methionine	%	0.38	0.36	0.35	0.36	0.35	0.33	0.33	0.32	0.30	0.31	0.30	0.29
Methionine+cysteine	%	0.63	0.60	0.57	0.62	0.59	0.56	0.58	0.56	0.53	0.56	0.54	0.51
Threonine	%	0.49	0.47	0.45	0.48	0.46	0.44	0.47	0.45	0.43	0.44	0.42	0.40
Valine	%	0.57	0.55	0.52	0.56	0.53	0.51	0.53	0.51	0.49	0.51	0.49	0.46
Arginine	%	0.74	0.71	0.68	0.70	0.67	0.64	0.67	0.65	0.62	0.65	0.62	0.59
Tryptophan	%	0.15	0.14	0.13	0.14	0.13	0.13	0.13	0.13	0.12	0.13	0.12	0.12
Isoleucine	%	0.57	0.55	0.52	0.55	0.52	0.50	0.53	0.50	0.48	0.51	0.49	0.47
Linoleic acid	%	1.90	1.80	1.70	1.80	1.75	1.65	1.70	1.65	1.60	1.60	1.55	1.50
Calcium	%	3.90	3.80	3.70	4.10	3.90	3.80	4.20	4.00	3.90	4.30	4.10	4.00
Phosphorus, av.	%	0.42	0.40	0.38	0.40	0.38	0.36	0.38	0.36	0.35	0.36	0.35	0.33
Sodium	%	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

Production Targets for TINT Layers
Floor System


Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
19	8.0 - 10.0	8.0 - 10.0	0.6 - 0.7	0.6 - 0.7	42.2 - 44.2	38.3 - 47.9	24.2 - 30.2	0.0 - 0.0
20	23.7 - 25.7	23.7 - 25.7	1.7 - 1.8	2.2 - 2.5	44.9 - 46.9	42.5 - 47.8	76.1 - 82.6	0.1 - 0.1
21	52.8 - 54.8	52.9 - 54.9	3.7 - 3.8	5.9 - 6.3	48.1 - 50.1	46.0 - 49.2	181.5 - 188.3	0.3 - 0.3
22	76.9 - 78.9	77.1 - 79.1	5.4 - 5.5	11.3 - 11.9	50.6 - 52.6	48.3 - 50.6	277.8 - 285.0	0.6 - 0.6
23	86.4 - 88.4	86.7 - 88.7	6.0 - 6.2	17.3 - 18.0	52.5 - 54.5	49.9 - 51.8	323.6 - 331.1	0.9 - 0.9
24	88.8 - 90.8	89.1 - 91.1	6.2 - 6.4	23.6 - 24.4	54.8 - 56.8	51.3 - 53.0	346.9 - 354.7	1.2 - 1.3
25	90.3 - 92.3	90.7 - 92.7	6.3 - 6.5	29.9 - 30.9	56.1 - 58.1	52.4 - 54.0	360.9 - 368.9	1.6 - 1.6
26	90.6 - 92.6	91.1 - 93.1	6.3 - 6.5	36.2 - 37.3	57.6 - 59.6	53.4 - 54.9	371.6 - 379.8	2.0 - 2.0
27	90.9 - 92.9	91.5 - 93.5	6.4 - 6.5	42.6 - 43.8	58.4 - 60.4	54.2 - 55.7	378.0 - 386.3	2.3 - 2.4
28	91.0 - 93.0	91.6 - 93.6	6.4 - 6.5	49.0 - 50.4	59.0 - 61.0	54.8 - 56.3	382.2 - 390.6	2.7 - 2.8
29	90.9 - 92.9	91.6 - 93.6	6.4 - 6.5	55.3 - 56.9	59.4 - 61.4	55.4 - 56.9	384.3 - 392.8	3.1 - 3.2
30	90.8 - 92.8	91.6 - 93.6	6.4 - 6.5	61.7 - 63.4	59.8 - 61.8	55.9 - 57.4	386.4 - 395.0	3.5 - 3.6
31	90.7 - 92.7	91.6 - 93.6	6.3 - 6.5	68.0 - 69.8	60.2 - 62.2	56.3 - 57.8	388.6 - 397.1	3.9 - 4.0
32	90.6 - 92.6	91.5 - 93.5	6.3 - 6.5	74.4 - 76.3	60.4 - 62.4	56.7 - 58.1	389.4 - 398.0	4.3 - 4.4
33	90.5 - 92.5	91.5 - 93.5	6.3 - 6.5	80.7 - 82.8	60.6 - 62.6	57.0 - 58.5	390.2 - 398.9	4.7 - 4.8
34	90.4 - 92.4	91.5 - 93.5	6.3 - 6.5	87.0 - 89.3	60.8 - 62.8	57.3 - 58.8	391.1 - 399.7	5.1 - 5.2
35	90.3 - 92.3	91.5 - 93.5	6.3 - 6.5	93.4 - 95.7	61.0 - 63.0	57.6 - 59.0	391.9 - 400.6	5.4 - 5.6
36	90.2 - 92.2	91.5 - 93.5	6.3 - 6.5	99.7 - 102.2	61.2 - 63.2	57.8 - 59.3	392.7 - 401.4	5.8 - 6.0
37	90.0 - 92.0	91.3 - 93.3	6.3 - 6.4	106.0 - 108.6	61.4 - 63.4	58.1 - 59.5	393.1 - 401.9	6.2 - 6.4
38	89.8 - 91.8	91.2 - 93.2	6.3 - 6.4	112.3 - 115.1	61.6 - 63.6	58.3 - 59.7	393.5 - 402.3	6.6 - 6.8
39	89.6 - 91.6	91.1 - 93.1	6.3 - 6.4	118.5 - 121.5	61.8 - 63.8	58.5 - 59.9	393.9 - 402.7	7.0 - 7.2
40	89.4 - 91.4	91.0 - 93.0	6.3 - 6.4	124.8 - 127.9	62.0 - 64.0	58.7 - 60.1	394.3 - 403.1	7.4 - 7.6
41	89.3 - 91.3	90.9 - 92.9	6.3 - 6.4	131.0 - 134.3	62.2 - 64.2	58.9 - 60.3	395.1 - 403.9	7.8 - 8.0
42	89.1 - 91.1	90.7 - 92.7	6.2 - 6.4	137.3 - 140.6	62.4 - 64.4	59.0 - 60.5	395.4 - 404.3	8.2 - 8.4
43	88.8 - 90.8	90.5 - 92.5	6.2 - 6.4	143.5 - 147.0	62.6 - 64.6	59.2 - 60.6	395.3 - 404.2	8.6 - 8.8
44	88.5 - 90.5	90.3 - 92.3	6.2 - 6.3	149.7 - 153.3	62.8 - 64.8	59.4 - 60.8	395.2 - 404.2	9.0 - 9.2
45	88.2 - 90.2	90.1 - 92.1	6.2 - 6.3	155.9 - 159.6	63.0 - 65.0	59.5 - 60.9	395.1 - 404.1	9.4 - 9.6
46	87.9 - 89.9	89.9 - 91.9	6.2 - 6.3	162.0 - 165.9	63.2 - 65.2	59.7 - 61.1	395.0 - 404.0	9.8 - 10.0
47	87.6 - 89.6	89.7 - 91.7	6.1 - 6.3	168.1 - 172.2	63.4 - 65.4	59.8 - 61.2	394.9 - 403.9	10.2 - 10.4
48	87.4 - 89.4	89.4 - 91.4	6.1 - 6.3	174.3 - 178.5	63.6 - 65.6	60.0 - 61.4	395.2 - 404.3	10.6 - 10.8
49	87.1 - 89.1	89.2 - 91.2	6.1 - 6.2	180.4 - 184.7	63.8 - 65.8	60.1 - 61.5	395.1 - 404.2	11.0 - 11.2
50	86.8 - 88.8	89.0 - 91.0	6.1 - 6.2	186.4 - 190.9	64.0 - 66.0	60.2 - 61.7	394.9 - 404.0	11.4 - 11.6
51	86.5 - 88.5	88.8 - 90.8	6.1 - 6.2	192.5 - 197.1	64.2 - 66.2	60.4 - 61.8	394.8 - 403.9	11.8 - 12.0
52	86.2 - 88.2	88.6 - 90.6	6.0 - 6.2	198.5 - 203.3	64.4 - 66.4	60.5 - 61.9	394.6 - 403.8	12.2 - 12.4
53	85.8 - 87.8	88.3 - 90.3	6.0 - 6.1	204.5 - 209.4	64.6 - 66.6	60.6 - 62.1	394.0 - 403.2	12.5 - 12.8
54	85.5 - 87.5	87.9 - 89.9	6.0 - 6.1	210.5 - 215.6	64.8 - 66.8	60.8 - 62.2	393.8 - 403.0	12.9 - 13.2
55	85.1 - 87.1	87.6 - 89.6	6.0 - 6.1	216.5 - 221.6	65.0 - 67.0	60.9 - 62.3	393.2 - 402.4	13.3 - 13.6
56	84.7 - 86.7	87.3 - 89.3	5.9 - 6.1	222.4 - 227.7	65.2 - 67.2	61.0 - 62.4	392.5 - 401.8	13.7 - 14.1
57	84.3 - 86.3	87.0 - 89.0	5.9 - 6.0	228.3 - 233.8	65.4 - 67.4	61.1 - 62.6	391.8 - 401.1	14.1 - 14.5
58	83.9 - 85.9	86.7 - 88.7	5.9 - 6.0	234.2 - 239.8	65.6 - 67.6	61.2 - 62.7	391.1 - 400.5	14.5 - 14.9
59	83.6 - 85.6	86.3 - 88.3	5.9 - 6.0	240.0 - 245.8	65.8 - 67.8	61.4 - 62.8	390.9 - 400.3	14.9 - 15.3

Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
60	83.2 - 85.2	86.0 - 88.0	5.8 - 6.0	245.8 - 251.7	65.9 - 67.9	61.5 - 62.9	389.6 - 399.0	15.3 - 15.7
61	82.8 - 84.8	85.7 - 87.7	5.8 - 5.9	251.6 - 257.7	65.9 - 67.9	61.6 - 63.0	387.8 - 397.1	15.7 - 16.0
62	82.4 - 84.4	85.4 - 87.4	5.8 - 5.9	257.4 - 263.6	65.9 - 67.9	61.7 - 63.1	385.9 - 395.2	16.1 - 16.4
63	82.0 - 84.0	85.1 - 87.1	5.7 - 5.9	263.2 - 269.5	66.0 - 68.0	61.8 - 63.2	384.6 - 394.0	16.4 - 16.8
64	81.7 - 83.7	84.7 - 86.7	5.7 - 5.9	268.9 - 275.3	66.0 - 68.0	61.9 - 63.3	383.2 - 392.6	16.8 - 17.2
65	81.3 - 83.3	84.4 - 86.4	5.7 - 5.8	274.6 - 281.1	66.0 - 68.0	62.0 - 63.4	381.3 - 390.7	17.2 - 17.6
66	80.9 - 82.9	84.1 - 86.1	5.7 - 5.8	280.2 - 286.9	66.0 - 68.0	62.0 - 63.5	379.4 - 388.8	17.6 - 18.0
67	80.5 - 82.5	83.8 - 85.8	5.6 - 5.8	285.9 - 292.7	66.1 - 68.1	62.1 - 63.6	378.1 - 387.5	18.0 - 18.4
68	80.1 - 82.1	83.4 - 85.4	5.6 - 5.7	291.5 - 298.5	66.1 - 68.1	62.2 - 63.7	376.2 - 385.6	18.3 - 18.8
69	79.8 - 81.8	83.1 - 85.1	5.6 - 5.7	297.1 - 304.2	66.1 - 68.1	62.3 - 63.8	374.8 - 384.2	18.7 - 19.2
70	79.4 - 81.4	82.8 - 84.8	5.6 - 5.7	302.6 - 309.9	66.1 - 68.1	62.4 - 63.8	372.9 - 382.3	19.1 - 19.5
71	79.0 - 81.0	82.5 - 84.5	5.5 - 5.7	308.1 - 315.6	66.2 - 68.2	62.4 - 63.9	371.6 - 381.0	19.5 - 19.9
72	78.6 - 80.6	82.1 - 84.1	5.5 - 5.6	313.6 - 321.2	66.2 - 68.2	62.5 - 64.0	369.7 - 379.1	19.8 - 20.3
73	78.2 - 80.2	81.8 - 83.8	5.5 - 5.6	319.1 - 326.8	66.2 - 68.2	62.6 - 64.1	367.9 - 377.3	20.2 - 20.7
74	77.9 - 79.9	81.5 - 83.5	5.5 - 5.6	324.6 - 332.4	66.2 - 68.2	62.6 - 64.1	366.4 - 375.8	20.6 - 21.1
75	77.5 - 79.5	81.2 - 83.2	5.4 - 5.6	330.0 - 338.0	66.3 - 68.3	62.7 - 64.2	365.1 - 374.5	20.9 - 21.4
76	77.1 - 79.1	80.8 - 82.8	5.4 - 5.5	335.4 - 343.5	66.3 - 68.3	62.8 - 64.3	363.2 - 372.6	21.3 - 21.8
77	76.7 - 78.7	80.5 - 82.5	5.4 - 5.5	340.8 - 349.0	66.3 - 68.3	62.8 - 64.3	361.3 - 370.8	21.7 - 22.2
78	76.3 - 78.3	80.2 - 82.2	5.3 - 5.5	346.1 - 354.5	66.3 - 68.3	62.9 - 64.4	359.4 - 368.9	22.0 - 22.5
79	76.0 - 78.0	79.8 - 81.8	5.3 - 5.5	351.4 - 360.0	66.4 - 68.4	62.9 - 64.4	358.6 - 368.0	22.4 - 22.9
80	75.6 - 77.6	79.5 - 81.5	5.3 - 5.4	356.7 - 365.4	66.4 - 68.4	63.0 - 64.5	356.7 - 366.1	22.7 - 23.3
81	75.2 - 77.2	79.2 - 81.2	5.3 - 5.4	362.0 - 370.8	66.4 - 68.4	63.0 - 64.5	354.8 - 364.2	23.1 - 23.6
82	74.8 - 76.8	78.8 - 80.8	5.2 - 5.4	367.2 - 376.2	66.4 - 68.4	63.1 - 64.6	352.9 - 362.3	23.4 - 24.0
83	74.4 - 76.4	78.5 - 80.5	5.2 - 5.3	372.4 - 381.5	66.5 - 68.5	63.1 - 64.7	351.5 - 361.0	23.8 - 24.4
84	74.1 - 76.1	78.2 - 80.2	5.2 - 5.3	377.6 - 386.8	66.5 - 68.5	63.2 - 64.7	350.1 - 359.6	24.1 - 24.7
85	73.7 - 75.7	77.8 - 79.8	5.2 - 5.3	382.8 - 392.1	66.5 - 68.5	63.2 - 64.8	348.2 - 357.7	24.5 - 25.1
86	73.3 - 75.3	77.5 - 79.5	5.1 - 5.3	387.9 - 397.4	66.5 - 68.5	63.3 - 64.8	346.3 - 355.8	24.8 - 25.4
87	72.9 - 74.9	77.2 - 79.2	5.1 - 5.2	393.0 - 402.7	66.6 - 68.6	63.3 - 64.9	345.0 - 354.4	25.2 - 25.8
88	72.5 - 74.5	76.8 - 78.8	5.1 - 5.2	398.1 - 407.9	66.6 - 68.6	63.4 - 64.9	343.1 - 352.5	25.5 - 26.2
89	72.2 - 74.2	76.5 - 78.5	5.1 - 5.2	403.1 - 413.1	66.6 - 68.6	63.4 - 64.9	341.7 - 351.1	25.9 - 26.5
90	71.8 - 73.8	76.2 - 78.2	5.0 - 5.2	408.2 - 418.2	66.6 - 68.6	63.4 - 65.0	339.8 - 349.2	26.2 - 26.9
91	71.4 - 73.4	75.8 - 77.8	5.0 - 5.1	413.2 - 423.4	66.7 - 68.7	63.5 - 65.0	338.4 - 347.8	26.5 - 27.2
92	71.0 - 73.0	75.5 - 77.5	5.0 - 5.1	418.1 - 428.5	66.7 - 68.7	63.5 - 65.1	336.5 - 345.9	26.9 - 27.5
93	70.6 - 72.6	75.1 - 77.1	4.9 - 5.1	423.1 - 433.6	66.7 - 68.7	63.6 - 65.1	334.6 - 344.1	27.2 - 27.9
94	70.3 - 72.3	74.8 - 76.8	4.9 - 5.1	428.0 - 438.6	66.7 - 68.7	63.6 - 65.2	333.2 - 342.6	27.6 - 28.2
95	69.9 - 71.9	74.5 - 76.5	4.9 - 5.0	432.9 - 443.7	66.8 - 68.8	63.6 - 65.2	331.7 - 341.2	27.9 - 28.6
96	69.5 - 71.5	74.1 - 76.1	4.9 - 5.0	437.7 - 448.7	66.8 - 68.8	63.7 - 65.2	329.8 - 339.3	28.2 - 28.9
97	69.1 - 71.1	73.8 - 75.8	4.8 - 5.0	442.6 - 453.6	66.8 - 68.8	63.7 - 65.3	327.9 - 337.4	28.5 - 29.2
98	68.7 - 70.7	73.4 - 75.4	4.8 - 4.9	447.4 - 458.6	66.8 - 68.8	63.7 - 65.3	326.1 - 335.5	28.9 - 29.6
99	68.4 - 70.4	73.1 - 75.1	4.8 - 4.9	452.2 - 463.5	66.9 - 68.9	63.8 - 65.4	325.1 - 334.6	29.2 - 29.9
100	68.0 - 70.0	72.7 - 74.7	4.8 - 4.9	456.9 - 468.4	66.9 - 68.9	63.8 - 65.4	323.2 - 332.7	29.5 - 30.3

Rearing Targets for TINT Pullets Floor System



Production Targets for TINT Layers Floor System



The content of this Management Guide is accurate and reliable at the time of publication. However Bábolna TETRA Ltd. does not accept responsibility for any errors, omissions or inaccuracies of the information contained herein. The information contained in this Guide is to be used only as a guide to assist with poultry management. It cannot cover all unforeseen circumstances related to local environmental and disease conditions. If further assistance is required, please do not hesitate to contact our sales advisors for more expert guidance. In no event, Bábolna TETRA Ltd. is liable for any damages arising out of or in connection with the use of the information and suggestions included in this guide. All rights reserved. This Management Guide or any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Bábolna TETRA Ltd.